UNITED STATES DEPARTMENT OF THE INTERIOR MINERALS MANAGEMENT SERVICE GULF OF MEXICO REGION

ACCIDENT INVESTIGATION REPORT

1.	OCCURRED DATE: 13-MAR-2008 TIME: 0715 HOURS	STRUCTURAL DAMAGE CRANE OTHER LIFTING DEVICE
2.	OPERATOR: Chevron U.S.A. Inc. REPRESENTATIVE: Matthews, Justin TELEPHONE: (337) 989-3435 CONTRACTOR: REPRESENTATIVE: Bradley, Greg TELEPHONE: (337) 837-8251	DAMAGED/DISABLED SAFETY SYS. INCIDENT >\$25K H2S/15MIN./20PPM REQUIRED MUSTER SHUTDOWN FROM GAS RELEASE OTHER
3.	OPERATOR/CONTRACTOR REPRESENTATIVE/SUPERVISOR ON SITE AT TIME OF INCIDENT:	6. OPERATION:
	LEASE: G02318 AREA: EI LATITUDE: BLOCK: 339 LONGITUDE:	PRODUCTION DRILLING X WORKOVER COMPLETION HELICOPTER MOTOR VESSEL
5.	PLATFORM: C RIG NAME:	PIPELINE SEGMENT NO. OTHER
	ACTIVITY: EXPLORATION (POE) DEVELOPMENT/PRODUCTION (DOCD/POD) TYPE:	8. CAUSE: EQUIPMENT FAILURE HUMAN ERROR EXTERNAL DAMAGE SLIP/TRIP/FALL
	HISTORIC INJURY X REQUIRED EVACUATION 1	WEATHER RELATED LEAK UPSET H20 TREATING OVERBOARD DRILLING FLUID OTHER
	FATALITY POLLUTION	9. WATER DEPTH: 268 FT.
	FIRE EXPLOSION	10. DISTANCE FROM SHORE: 83 MI. 11. WIND DIRECTION: NE
	LWC HISTORIC BLOWOUT UNDERGROUND SURFACE	SPEED: 10 M.P.H.
	DEVERTER SURFACE EQUIPMENT FAILURE OR PROCEDURES	12. CURRENT DIRECTION: NE SPEED: 10 M.P.H.
	COLLISION HISTORIC >\$25K <=\$25K	13. SEA STATE: 4 FT.

MMS - FORM 2010 PAGE: 1 OF 6

EV2010R

17. DESCRIBE IN SEQUENCE HOW ACCIDENT HAPPENED:

While utilizing the platform crane, a third party contractor improperly attached a two-part sling to a wireline lubricator in preparation for lifting a lubricator on well C-13 . Contract Employee No.1 attached the lubricator sling D-ring to the fast line hook of the crane. Contract Employee No. 2 began to assist Employee No.1 with the rigging operations in preparation for making the lift. For unknown reasons a safety pin was inserted into the latch of the hook preventing the latch from opening allowing the D-ring to remain only on the tip of the crane hook. Employee No.1 placed the D-ring on the tip of the hook with the safety pin installed and both hand and verbal signals were used to notify the crane operator he was clear to proceed with the lift. Employee No.1 assisted in guiding the wireline lubricator while it was being lifted by the crane. Once the wireline lubricator reached the vertical position, approximately two to three feet above the deck, the the D-ring slipped off the crane hook. The lubricator fell to the platform deck, striking Employee No.1 on the back while he was trying to escape. Employee No. 1 sustained serious injuries including lacerations to the back of his head, injury to his left leg and pain to his upper back. A first responder was dispatched to the facility to access the injuries to Employee No.1 while accompanying him to the Lafayette General Hospital for treatment.

18. LIST THE PROBABLE CAUSE(S) OF ACCIDENT:

The probable cause of this incident is that the lessee and personnel engaged in the lifting operation failed to follow and adhere to safe rigging practices by removing the safety pin from the hook latch. Also, the lessee used careless practices and demonstrated complacency as apparent by ignoring signs of an unsafe condition by the improperly installed sling D-ring on the hook prior to making the lift.

19. LIST THE CONTRIBUTING CAUSE(S) OF ACCIDENT:

While in the process of rigging the lubricator, personnel directly involved with the lift failed to ensure that the load was properly secured prior to conducting the lifting operation. In addition, other personnel observing the lift failed to recognize the hazard which could have prevented this occurrence.

20. LIST THE ADDITIONAL INFORMATION:

MMS - FORM 2010 PAGE: 2 OF 6

MMS - FORM 2010 PAGE: 3 OF 6
EV2010R 14-AUG-2009

21. PROPERTY DAMAGED:

NATURE OF DAMAGE:

No property damage

No property damage

ESTIMATED AMOUNT (TOTAL):

Ś

22. RECOMMENDATIONS TO PREVENT RECURRANCE NARRATIVE:

The MMS Lafayette District makes no recommendations to the MMS Regional Office of Safety Management (OSM).

- 23. POSSIBLE OCS VIOLATIONS RELATED TO ACCIDENT: YES
- 24. SPECIFY VIOLATIONS DIRECTLY OR INDIRECTLY CONTRIBUTING. NARRATIVE:

A G-110, Incident of Noncompliance was issued as an "After the Fact INC" to document that Chevron U.S.A. Inc. failed to protect health, safety and the environment by not performing operations in a safe and workmanlike manner as follows: Chevron U.S.A. Inc. failed to properly supervise crane lifting operations to prevent injury to personnel. The evidence provided by the onsite investigation clearly indicated that the lifting operations were not performed in a safe manner.

25. DATE OF ONSITE INVESTIGATION:

13-MAR-2008

26. ONSITE TEAM MEMBERS:

Johnny Serrette / Jason A. Abshire
/ Tom Basey /

29. ACCIDENT INVESTIGATION PANEL FORMED: **NO**

OCS REPORT:

30. DISTRICT SUPERVISOR:

Elliott S. Smith

APPROVED

DATE: 29-MAY-2008

MMS - FORM 2010 PAGE: 4 OF 6

EV2010R 14-AUG-2009

INJURY/FATALITY/WITNESS ATTACHMENT

OPERATOR REPRESENTATIVE CONTRACTOR REPRESENTATIVE OTHER Unit Supervisor	INJURY FATALITY X WITNESS	
NAME: HOME ADDRESS: CITY:	STATE:	
WORK PHONE: EMPLOYED BY: BUSINESS ADDRESS:	TOTAL OFFSHORE EXPERIENCE:	YEA
CITY: ZIP CODE:	STATE:	
	П	
OPERATOR REPRESENTATIVE CONTRACTOR REPRESENTATIVE OTHER Coil Tubing Services	INJURY FATALITY WITNESS	
CONTRACTOR REPRESENTATIVE X OTHER Coil Tubing Services NAME: HOME ADDRESS:	FATALITY	
CONTRACTOR REPRESENTATIVE X OTHER Coil Tubing Services NAME:	FATALITY X WITNESS	YEA
CONTRACTOR REPRESENTATIVE X OTHER Coil Tubing Services NAME: HOME ADDRESS: CITY:	FATALITY X WITNESS STATE:	YE

MMS - FORM 2010 PAGE: 5 OF 6

INJURY/FATALITY/WITNESS ATTACHMENT

OPERATOR REPRESENTATIVE CONTRACTOR REPRESENTATIVE X OTHER Supervisor	INJURY FATALITY WITNESS	
NAME: HOME ADDRESS: CITY: WORK PHONE: EMPLOYED BY:	STATE: TOTAL OFFSHORE EXPERIENCE:	YEARS
BUSINESS ADDRESS: CITY: ZIP CODE:	STATE:	
OPERATOR REPRESENTATIVE CONTRACTOR REPRESENTATIVE OTHER Operator	INJURY FATALITY X WITNESS	
NAME: HOME ADDRESS: CITY: WORK PHONE:	STATE: TOTAL OFFSHORE EXPERIENCE:	YEARS
EMPLOYED BY: BUSINESS ADDRESS: CITY: ZIP CODE:	STATE:	

MMS - FORM 2010 PAGE: 6 OF 6